MIRROR-LUX® LED WHEELCHAIR MIRROR




Introducing the Mirror-Lux® LED Wheelchair Mirror, the latest addition to Aamsco Lighting's collection of energy saving bath & vanity luminaires. Designed to meet the requirements of the Americans with Disabilities Act. Ideal for handicapped suites of hotels, nursing homes, hospitals and public restrooms. The Mirror-Lux® LED Wheelchair Mirror offers a beautiful yet functional design that will compliment any facility.

Residential – Hospitality – Custom www.aamsco.com



MIRROR-LUX® LED WHEELCHAIR MIRROR



Voltage: 120-277 Light Source: LED

Mounting: Surface mount. Mounting holes (4) provided for mounting to a mechanically sound surface.


Dimmable: 0-10V

Color temp: Standard 3000K; Consult factory for other color temperatures.

ETL listed for damp locations; IP65

ADA: Conforms to regulations of the Americans with Disabilities Act.

Re-lamp by removing glass. Allow space at the sides of mirror for re-lamping. Tamper-proof screws are available on request.



(Diagrams not drawn to scale)

DIMENSIONS

MODEL#	ML6002	ML1840	ML2440	ML3640
GLASS DIMENSIONS				
A	23.62"	18.00"	24.00"	36.00"
A1	14.75"	12.00"	18.00"	28.00"
A2	2.00"	1.00"	1.00"	2.00"
A3	2.00"	2.00"	2.00"	2.00"
В	27.56"	40.00"	40.00"	40.00"
B1	19.62"	31.50"	31.50"	31.50"
BOX DIMENSIONS				
С	20.75"	15.75"	21.75"	33.75"
D	24.87"	37.25"	37.25"	37.25"
Е	2.00"	2.00"	2.00"	2.00"
E1	4.00"	4.50"	4.50"	6.00"
F	10.37"	7.87"	10.87"	16.87"
F1	4.50"	4.00"	4.00"	4.00"
G	12.43"	18.75"	18.75"	18.75"
G1	2.25"	4.00"	4.00"	4.00"
Total Watts	16	25	25	25
Total Lumens at 3000K	1160	1793	1793	1793

Please note AAMSCO reserves the right to vary placement of inserts and mounting features to accommodate manufacturing tolerances. Specifications outlined are subject to +/- 1/8" variance.

AAMSCO LIGHTING GROUP

100 Lamp Light Circle Summerville, SC 29483 Phone 843-278-0000 843-278-0001

Residential - Hospitality - Custom www.aamsco.com

The intelligent alternative source sm



Fax

^{*} For custom shapes and sizes, please consult factory.